Max Paradox

PROBLEM? RELAX. YOU'VE GOT THIS!

Cold in the Corner, Warmth Only on the Bill

How to Find Drafts and Heat Loss in Your Apartment Without Costly Renovations



Cold in the Corner, Warmth Only on the Bill

How to Find Drafts and Heat Loss in Your Apartment Without Costly Renovations

Max Paradox

PROBLEM? RELAX. YOU'VE GOT THIS!

ISBN: 9788384909331

ALL-IN Rafał Płonkowski



CONTENTS

INTRO 5

Chapter 1 - Not Every Chill Is a Draught 11

Chapter 2 - Inspecting Your Apartment: How to Find Where Heat Is Escaping 19

Chapter 3 - The Most Common Mistakes That Make You Look for the Cold in the Wrong Places..... 30

Chapter 4 - Household Tricks for Keeping Warm That Often Solve the Wrong Problem 40

Chapter 5 - Heat Also Escapes Through Everyday Habits..... 51

Chapter 6 - Air Has Its Own Route: How to Identify Hidden Airflow Inside Your Apartment 61

Chapter 7 - Dampness, Mould and Cold Walls: When the Problem Is More Serious Than It Looks..... 71

Chapter 8 - Not Everything Is Under Your Control: What to Do When Your Apartment Has Its Limitations 81

Chapter 9 - The Home Thermal Audit: Turn Suspicions into Concrete Findings 93

Chapter 10 - What Should You Repair First? A Sensible Order of Work Without Burning Through Your Budget 104

Chapter 11 - Windows and Doors Under Control: How to Improve Airtightness Without Replacing Everything 117

Chapter 12 - Radiators, Air Circulation and Settings: Make the Most of the Heat You Already Have 128

Chapter 13 - Small Changes That Keep the Heat In: Practical Solutions Without a Major Renovation..... 139

Chapter 14 - Checking the Results: How to Know Whether Your Apartment Really Keeps More Heat In 151

Chapter 15 - Difficult Apartments and Unusual Cases: What to Do When Simple Solutions Are Not Enough.....164

Chapter 16 - When a Repair Does Not Work: How to Recognise a Wrong Diagnosis and Avoid a Spiral of Spending.....174

Chapter 17 - Cold That Cannot Be Eliminated Quickly: How to Get Through Winter Without Risky Improvisations 185

Chapter 18 - Don't Let the Problem Return: How to Keep Your Apartment in Good Condition for Years to Come 194

Chapter 19 - Your Apartment Surprises You Again: How to Respond to New Problems Without Starting All Over Again.....206

Chapter 20 - Become Your Own Heat-Loss Detective: How to Make Good Decisions Independently 215

INTRO

There comes a moment on a winter evening when you begin to suspect that your apartment is engaged in some kind of personal war against you. You are sitting on the sofa, the radiator is working, the thermostat displays a perfectly respectable temperature, and yet one part of the room feels like a pleasant place to live while another resembles a training facility for an expedition to the North Pole. The worst offender is always the corner. The place where an armchair should theoretically stand is now occupied by an invisible refrigerator. You can turn up the heating, put on thicker socks and wrap yourself in a blanket, but the cold keeps coming back. Your heating bill, meanwhile, has absolutely no difficulty maintaining a regular schedule. It arrives right on time and is noticeably warmer than the atmosphere in your living room.

At some point, you start suspecting the windows. Then the balcony doors. Next come the walls, the floor, the ceiling, the neighbours and probably the entire building. A familiar thought eventually appears: something needs to be done about this, but surely I am not going to undertake a major renovation just because there is a draught in my apartment. Especially when I do not even know where it is coming from. You could buy new seals, order thicker curtains, replace the windows or call in a contractor who will enthusiastically recommend a solution costing about as much as a small car. The problem is that without identifying the cause first, you can spend a considerable amount of money and still end up freezing.

This book begins with a simple assumption: before you start repairing your apartment, find out what actually needs repairing. It sounds obvious, but a surprising number of household expenses come from skipping precisely this step. You feel cold near a window, so you buy a new seal. Meanwhile, the actual problem might be an incorrectly adjusted window sash, a leaking joint between the frame and the wall, or a cold surface radiating discomfort into the surrounding space even though no air is passing through it. The symptoms may feel similar, but the solutions are entirely different.

There is one important thing to understand: a cold apartment does not necessarily mean that your heating system is too weak. Sometimes heat simply escapes too quickly. Sometimes uncontrolled cold air gets inside. On other occasions, the surfaces of walls, floors or windows are so cold that you feel uncomfortable even when the thermometer displays a perfectly reasonable temperature. Humidity, ventilation performance, furniture placement and everyday habits can all contribute to the problem, sometimes without you even realising it.

That is why buying a thermometer and placing it in the middle of the room is not enough. A single number cannot tell the whole story. You might have twenty-one degrees Celsius in your living room and still feel cold next to an external wall. You might also have a comfortably heated room where a noticeable stream of air appears near the balcony doors. The distinction between these situations matters because the first calls for examining surface temperatures, while the second requires finding the actual opening through which air is entering.

You do not need a professional thermal imaging camera, a collection of measuring equipment or three semesters of technical education to get started. What you do need is a little patience, a basic thermometer, a sheet of paper, perhaps an infrared thermometer, and the ability to observe your own apartment carefully. Some problems can be identified using surprisingly simple methods. Others require more detailed investigation, but even then you can prepare yourself for a conversation with a specialist instead of relying entirely on the opinion of someone who has just walked through your front door and announced, after thirty seconds, that everything needs replacing.

It will also be important to distinguish a draught from the normal operation of ventilation. This is not some minor technical detail that can be ignored simply because it interferes with your pursuit of a comfortable indoor temperature. Ventilation is necessary for proper air exchange, and you should never independently block ventilation grilles or eliminate required air inlets. Particular caution is needed in apartments with fuel-burning appliances. Improper changes to airflow can create dangerous conditions. The objective is not to turn your apartment into an airtight box in which you can sit comfortably warm. It is to create a living space where air is exchanged in a controlled manner and the heating system does not have to compensate for heat losses caused by faults.

We will also examine places that often escape the attention of amateur household detectives. These include corners of external walls, areas around window sills, floor-to-wall junctions, spaces around pipes and installations, roller shutter boxes and doors leading onto balconies. Some

of these areas are small, but they can have a significant impact on comfort. Others may point to a structural problem that cannot be solved even by the finest roll of weatherstripping purchased during a promotional sale.

We will not assume that every apartment can be brought into perfect condition at minimal cost, either. Some buildings have structural defects, thermal bridges, poorly executed connections and problems over which residents have no direct control. If you rent your apartment, you cannot simply hire a crew and start interfering with the exterior façade. If you live in a building managed by a homeowners' association, some decisions depend on the property manager or other owners. And if your budget is limited, you need to establish sensible priorities: which actions are likely to make the greatest difference, and what can realistically be done on your own.

That does not mean you are destined to sit in your own living room wearing a winter jacket. In many cases, comfort can be improved without undertaking a major renovation. Sometimes all it takes is correctly adjusting a window, replacing a worn seal, fixing a poorly fitted trim strip, moving a piece of furniture that blocks warm air circulation or adjusting the heating properly. On other occasions, a repair carried out by a qualified professional will be necessary. At least you will know what to expect from that professional and how to assess whether the proposed solution actually addresses the problem you have.

Our guiding principle will be straightforward: observation first, diagnosis second, action last. Instead of buying five different products and testing them through a financial lottery, you will learn how to investigate where the cold comes from, when it appears and what conditions make it

worse. You will discover how to assess the airtightness of windows and doors, identify common areas of heat loss, understand the role of ventilation and distinguish ordinary discomfort from warning signs of a more serious problem, such as dampness or developing mould.

Along the way, we will also change the way you think about domestic heating. A higher thermostat setting does not always mean greater comfort. Sometimes it is simply a way of increasing your expenses without addressing the underlying cause. An apartment that has been properly assessed allows you to make better decisions: what needs repairing immediately, what should be monitored, what you should not attempt to modify yourself, and when it makes sense to involve a property manager or a specialist.

You do not need to become an expert in building physics. You do not need to memorise every insulation performance rating or understand every component of a window's construction. You simply need to learn how to ask the right questions and check the answers in your own apartment. That is considerably more useful than buying yet another device promising to solve every household problem with three buttons and an application that immediately demands an update.

Your apartment should be a place where you can relax, not a space where you regularly discover new climate zones. Your heating bill already does a perfectly good job of reminding you that we live on a planet where warmth is not a free service. There is no reason to spend additional money heating the pavement beneath your window, cooling the corners of your rooms or paying for uncontrolled air exchange.

So before you turn up the thermostat again, put on your slippers and start contemplating a move to a warmer country, take a careful look around. The problem may be much closer than you think. And its solution may not require a major renovation, a loan or saying goodbye to your savings.

All you need to do is start by finding the place through which your warmth has decided to move out without giving notice.

Chapter 1 - Not Every Chill Is a Draught

The biggest mistake people make when trying to find the sources of cold in their apartments is assuming that if it feels cold, there must be a draught somewhere. It is an intuitive, convenient assumption, and often an incorrect one. You feel a chill near the window, so you suspect a worn seal. Your feet get cold near the floor, so you blame the basement. The corner of your bedroom feels noticeably colder, and you start wondering whether the wall has developed a personal disagreement with the central heating system. Meanwhile, the actual cause may have very little to do with what your first impression suggests.

Imagine two apartments. In the first, the thermometer reads twenty degrees Celsius, but you can clearly feel cold air moving near the window. In the second, the temperature is also twenty degrees, the windows are airtight, there is no noticeable air movement, and yet someone sitting beside an external wall feels uncomfortably cold. Both residents would describe their apartments as cold. However, in the first case, the likely problem is uncontrolled airflow, while in the second, it may be the low surface temperature of the wall affecting thermal comfort. Selling both residents exactly the same replacement window seals would be about as sensible as giving every patient the same medicine simply because they all complain of feeling unwell.

To identify the source of the problem effectively, you first need to understand that the word "cold" describes a sensation, not a specific defect. Your body is not a precision temperature-measuring instrument. It does not display a message telling you whether your discomfort comes from

moving air, a cold surface, humidity or uneven heating. It simply tells you that the conditions in a particular location are uncomfortable. The rest is a matter of observation.

Air That Escapes and Air That Moves

The first phenomenon worth recognising is an actual draught. It occurs when air moves in a way that is perceptible to the human body. It may be associated with a leaking window, balcony door, connection between the window frame and the wall, or another opening through which air enters the apartment. The gap does not have to be large. Even a small defective section can cause local discomfort, particularly when you are sitting or standing directly beside it.

One characteristic of this situation is that the cold appears in a specific location, and you can often notice a change when you move your hand, shift your armchair or close the door to the room. Sometimes you feel it only around your ankles; on other occasions, it reaches the level of your shoulders. Air may enter near the lower edge of a window, travel along the floor and only become noticeable several metres away. This can create the impression that the cold is coming from the middle of the room, even though its actual source is near the wall.

However, not every movement of air indicates a leak. Air also moves because of temperature differences. Warmed air tends to rise, while cooler air tends to descend. Natural convection currents develop inside a room. They are particularly noticeable near cold windows. Air that comes into contact with a cold pane loses heat, becomes denser and moves down towards the floor. This can feel very much like a draught, even when the window is perfectly airtight.

This distinction matters. If you replace the seals in an airtight window, you will not eliminate a phenomenon caused by air cooling near the glass. You may even interfere with proper ventilation if you start sealing every possible air inlet without understanding its purpose. Identifying the direction and cause of airflow is therefore far more important than simply finding the place where you feel cold.

A Cold Wall Does Not Have to Let Air Through

The second important phenomenon is low surface temperature. You can have airtight windows, properly functioning doors and an efficient heating system, yet still feel cold near an external wall. This happens because thermal comfort depends not only on air temperature but also on the temperature of the surfaces surrounding your body.

Imagine sitting in an armchair in the middle of a room. Around you are warm internal walls, a comfortable floor and a ceiling that does not feel particularly cold. The air temperature is pleasant. Now move your armchair against an external wall that becomes significantly colder during winter. The air in the room may remain at exactly the same temperature, but your body starts losing more heat towards that cold surface. As a result, you may experience discomfort even though the thermometer has not changed its reading.

This is why someone might say, "It feels at least five degrees colder beside that wall," only to discover that the actual difference in air temperature is relatively small. The sensation is real, but the interpretation is not necessarily correct. The wall may be cold without allowing even a single gram of air to pass through it.

External corners deserve particular attention. These are places where two building partitions meet, and the geometry of the structure may encourage the formation of local thermal bridges. A thermal bridge is an area through which heat flows more readily than through neighbouring sections of the building envelope. It may result from the building's structural design, the way connections were constructed, discontinuities in insulation or specific architectural details. Not every cold corner automatically indicates a construction defect, but a noticeably colder surface in such a location deserves investigation.

The problem may become particularly visible during winter, when the temperature difference between indoors and outdoors is substantial. If dark patches, dampness or a musty smell also appear in the corner, simply turning up the heating is not an adequate response. A low surface temperature can encourage water vapour to condense, and prolonged dampness increases the risk of mould growth. In such circumstances, the cause of the moisture needs to be assessed rather than merely covering the wall with a fresh coat of paint and hoping for the best.

When Heat Does Not Reach Where It Should

The third source of discomfort is uneven heating. Your apartment may have a perfectly functional heating system, but that does not mean it provides identical conditions in every part of every room. A radiator installed beneath a window warms the surrounding air, which then circulates around the room. If that circulation is obstructed, some areas may remain noticeably colder.

Check whether the radiator is covered by heavy curtains, an enclosure or a large piece of furniture. You do not have to arrange your entire interior according to an installation

engineer's catalogue, but you should leave enough space for air to circulate freely. If warm air becomes trapped immediately around the radiator, the heating system may operate less effectively when it comes to maintaining comfort throughout the room.

The radiator's location also matters. A high temperature directly beside it does not mean that the entire room is being heated evenly. You can have a very hot radiator and a distinctly cold area near the opposite wall. Before assuming that the heating system has failed, check the temperature distribution at several points and compare the results under similar conditions.

Sometimes the problem lies within the heating installation itself, for example, because of incorrect heating-water flow or adjustment. If a radiator is warm only in certain sections, fails to heat up despite being set correctly, or behaves differently from the others, it is worth consulting the building administrator or a qualified professional. Randomly adjusting valves yourself may make it harder to identify the cause, especially if you do not understand the design of the system.

Humidity and Temperature Are Not the Same Thing

Another piece of the puzzle is air humidity. It is often given too much importance and treated as a universal explanation for every kind of winter discomfort. In reality, humidity influences how indoor conditions feel, but it cannot replace an assessment of temperature and airflow.

In a room with high humidity, condensation may form on cold surfaces. Water vapour present in the air can turn into liquid on window panes, frames or sections of walls whose temperatures are sufficiently low. This does not automatically mean that every fogged-up window is

evidence of a building defect. What matters is how frequently the phenomenon occurs, how long it lasts and whether it also affects other surfaces.

On the other hand, excessively dry air can cause discomfort to the skin and mucous membranes. Sometimes this is mistaken for a general feeling of being unwell because of the indoor temperature. That is why it is worth measuring both temperature and humidity rather than drawing conclusions from physical sensations alone.

Remember that moisture inside an apartment can have several different sources. It is generated by everyday activities such as cooking, bathing and drying laundry, but it can also result from leaking installations or water penetrating from outside. If persistent damp patches appear, do not assume that opening the window more frequently will solve everything. You first need to establish where the water is coming from.

Your First Assessment Without Specialist Equipment

Before you start buying measuring devices, carry out a simple observation exercise. Choose the room in which you most frequently feel cold. Walk slowly along the walls, windows and doors, paying attention to exactly where the discomfort occurs. Do not describe the entire room with one general statement. Try to identify specific locations.

Next, check whether the sensation changes at different heights. If the cold is more noticeable near the floor, it may be associated with cooled air descending or cold air entering the lower part of the room. If it occurs mainly around torso height, take a closer look at nearby surfaces and possible air movement. This is not yet a diagnosis, but it helps narrow down the area you need to investigate.

You can also use a thin strip of paper or a lightweight tissue to detect air movement near a suspicious location. Hold it a short distance from the joint between the window frame and the wall, the edge of the window sash or a door. Observe whether the paper bends in a consistent direction. This is an indicative test rather than definitive proof. The movement may also result from natural convection, so do not treat one observation as conclusive evidence of a leak.

It is worth repeating the test under different conditions. If the problem appears mainly during strong winds, the suspicion of an external leak becomes more reasonable. If it occurs even in calm weather and in approximately the same locations every day, you should also investigate surface temperatures and the heating arrangement.

The most important skill is learning to separate what you have actually observed from what you have assumed. "I feel cold near the window" is an observation. "The window is leaking" is already a hypothesis. "The window needs replacing" is a proposed solution. Between those three statements lies the entire territory of sensible diagnosis, which many people skip with impressive determination.

Do Not Buy a Solution Before You Understand the Problem

In practice, you may encounter several different sources of cold at the same time. A leaking window can allow cold air inside, while the cold corner beside it may also have a reduced surface temperature. A radiator may be obstructed, preventing heat from circulating evenly. In an apartment like this, a single purchase will not solve every problem.

That is why you should not begin by choosing products. Begin by identifying the phenomenon. If you can clearly feel

air moving, investigate airtightness and the route taken by that airflow. If a wall surface is noticeably colder than the surrounding areas, examine the insulation and possible thermal bridges. If the problem affects the entire room, check the heating system, ventilation and general conditions inside the apartment.

You do not have to know immediately which explanation is correct. It is enough to stop treating every symptom as one single problem called "there's a draught in my apartment". That is the first step towards making sensible decisions and avoiding a situation in which, after spending several hundred złoty, you discover that the only result of your repair work is a brand-new window seal and an equally cold corner.

Chapter 2 - Inspecting Your Apartment: How to Find Where Heat Is Escaping

Many people begin looking for heat loss in their apartment in the most obvious place: the windows. Understandably so. A window is visible, you can walk up to it, touch the frame and feel the cold. It also has one advantage over a wall: manufacturers offer an enormous range of products promising to improve its airtightness. All it takes is a visit to a DIY store to start feeling like someone who is about to solve every problem in their home with a roll of rubber and some self-adhesive tape.

The problem is that the window is not always the main culprit. Sometimes it is simply the most suspicious-looking object in the room because it happens to be located where you feel cold. Meanwhile, heat may be escaping through the connection between the window and the wall, the space around the windowsill, the roller shutter box, the balcony door or a section of the external building envelope. You may also be experiencing discomfort caused by surface temperature rather than actual incoming airflow.

Instead of beginning a hunt for one guilty party, treat your entire apartment as a property that needs inspecting. You do not need a technician's overalls or a suitcase full of electronic equipment. You need a method that allows you to compare different locations, recognise recurring symptoms and avoid drawing conclusions after the first thirty seconds.

Start with a Plan, Not with Shopping

The simplest diagnostic tool may look surprisingly unprofessional. All you need is a sheet of paper, a pen and a

basic floor plan of your apartment. It does not have to be architecturally accurate. Its purpose is to show the arrangement of rooms, windows, balcony doors, radiators and external walls.

Mark the locations where you regularly feel cold. Do not write down the suspected causes yet. Simply note things such as: cold near the living room window, cold corner in the bedroom, cold floor beside the external wall, discomfort near the entrance door. You can use different symbols if the symptoms vary. The important thing is not to confuse observations with diagnoses.

Why does this matter so much? Because human memory is highly selective. When you return home after a long day, you tend to remember the place where you felt coldest. You may be convinced that the problem exists exclusively in your living room, even though a similar sensation occurs in two other rooms. Only when you mark everything on a floor plan might you notice that the cold spots are located along the same external wall or near similar structural connections.

A diagram also helps you identify differences between individual rooms. If one room is noticeably warmer than another despite similar outdoor temperatures, consider what makes them different. It could be their orientation, the size of the glazed areas, exposure to wind, the heating arrangement or the position of the furniture. The plan will not answer every question, but it will help you avoid checking the apartment in a completely random fashion.

Do Not Measure Temperature Randomly

The second step is to take a few simple measurements. One of the most common mistakes is placing a thermometer wherever convenient and treating its reading as the

temperature of the entire room. In reality, the result depends on where the device is located. A thermometer standing on a windowsill may display a different value from one positioned approximately at the centre of the room. The same applies to a sensor installed directly above a radiator.

Choose one representative location in the room, away from the radiator, window, external doors and direct sunlight. Place the thermometer at approximately the height at which you normally spend your time. Allow the reading to stabilise according to the device manufacturer's instructions. Record the temperature and the time of measurement.

Next, take additional measurements in the places where you feel cold. If you have a second thermometer, you can compare readings simultaneously. If you only have one, move it between the different locations, remembering that the device needs time to adjust to its new surroundings. Do not treat the immediate reading after moving it as a reliable result.

It is equally important to maintain comparable conditions when making measurements. If you take one reading immediately after intensive ventilation and another several hours after the heating has been running, the difference may be caused by the circumstances rather than the properties of the location itself. Record whether the radiator was operating, whether windows had been opened, what the weather was like and whether people were present in the room.

You do not need to create a complicated spreadsheet. A simple record is sufficient:

- Date and time of measurement.

- Air temperature at the selected location.
- Temperature at the place where you feel cold.
- Approximate humidity, if you have a hygrometer.
- Outdoor conditions and the state of the heating system.

After several days, you should begin noticing recurring patterns. If the cold appears mainly during strong winds, it is worth examining airtightness more closely. If it occurs regardless of the weather, the cause may be related to surface temperature or the heating system.

Inspect the Window, but Do Not Stop at the Glass

A window consists of several components, and each of them can affect thermal comfort. Begin your inspection by examining the sash, frame, seals and the connection between the entire window structure and the wall. Do not focus exclusively on the glass. Even high-quality glazing cannot guarantee comfort if air is entering through an incorrectly installed frame.

Open the window and inspect the seals along their entire length. Look for their general condition, continuity, cracks, deformation and sections that may have slipped out of their grooves. Old seals can lose their elasticity and therefore fail to provide adequate compression. However, this does not mean that every visible irregularity requires immediate replacement.

Also check whether the sash closes properly. Does it rub against the frame? Does the handle move smoothly? Are there visible gaps that appear uneven? Does the window seem to fit correctly around its entire perimeter? If closing it requires considerable force or the handle behaves unusually, it may be worth having the window hardware and adjustment checked.

Do not attempt to adjust every component blindly, however. Many windows have adjustment mechanisms, but their design and operation depend on the particular system. Turning random components can make the sash work less effectively or damage the hardware. If you are unsure, consult the manufacturer's instructions or contact a service technician.

The next point to examine is the connection between the frame and the wall. Look carefully at the area where the window meets the surrounding wall and windowsill. Pay attention to visible cracks, missing material, detached sections and traces of previous repairs. The corners and lower part of the structure deserve particular attention. These are places where installation-related problems may occur.

It is also worth inspecting the space beneath the windowsill. If you notice cracks, obvious draughts or signs of dampness, do not immediately cover them with a decorative trim strip. First establish what lies beneath the surface. A decorative strip may improve the appearance, but it will not solve a leaking or poorly sealed connection.

Balcony and Entrance Doors Have Their Own Weak Points

Balcony doors are often treated as nothing more than larger windows, but in practice they have several additional areas that deserve attention. They are used frequently, their sashes can be heavy, and the way they close and compress their seals depends on the condition of the hardware. Poor contact can cause local draughts that are particularly noticeable near the floor.

Pay attention to the lower edge of the door, the areas around the hinges and the locking side. Check whether the